

Vascular Plants of Mayacamas Mountains Sanctuary of Audubon Canyon Ranch & Environs			
* = Not native to Sonoma County (?)=In early plant lists but not documented or seen recently			
Peter Warner originally compiled this list			
It was most recently updated on 10/2016 by Audubon Canyon Ranch, Modini@egret.org 707 431-8184			
Contributors to this list include:			
Jack & Betty Guggolz, Clint Kellner, Dan Segal, Chris Tarp, Kerry Heise, Lynn Houser, Ann Howald,			
Peter Warner, Dave Self, Sherry Adams, Doreen Smith, Terry Gosliner, Dick O'Donnell			
FAMILY	Botanical Name	Common name	CNPS rare plant list
Phylum Sphenophyta (Horsetails)			
EQUISETACEAE -- Horsetail Family			
	<i>Equisetum hyemale</i> ssp. <i>affine</i>	scouring rush	
Phylum Lycophyta (Club Mosses)			
SELAGINELLACEAE -- Spike-moss Family			
	<i>Selaginella bigelovii</i>	Bigelow's spike-moss	
Phylum Pterophyta (Ferns)			
BLECHNACEAE -- Deer Fern Family			
	<i>Woodwardia fimbriata</i>	giant chain fern	
DENNSTAEDTIACEAE -- Bracken Family			
	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	bracken fern	
DRYOPTERIDACEAE -- Wood Fern Family			
	<i>Dryopteris arguta</i>	wood fern	
	<i>Polystichum munitum</i>	sword fern	
POLYPODIACEAE -- Polypody Family			
	<i>Polypodium californicum</i>	California polypody	
PTERIDACEAE -- Brake Family			
	<i>Adiantum jordanii</i>	maidenhair fern	
	<i>Aspidotis densa</i>	Indian's dream	
	<i>Pellaea andromedifolia</i>	coffee fern	
	<i>Pellaea mucronata</i> var. <i>mucronata</i>	bird's-foot fern	
	<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	goldback fern	
Phylum Coniferophyta (Conifers)			
CUPRESSACEAE -- Cypress Family			
	<i>Hesperocyparis sargentii</i>	Sargent cypress	
PINACEAE -- Pine Family			
	<i>Pinus attenuata</i>	knobcone pine	
	<i>Pinus ponderosa</i>	ponderosa pine	
	<i>Pinus sabiniana</i>	foothill pine	
	<i>Pseudotsuga menziesii</i>	Douglas-fir	
Phylum Anthophyta (Flowering Plants)			
ACERACEAE -- Maple Family (see SAPINDACEAE)			
ADOXACEAE -- Muskroot Family			
	<i>Sambucus nigra</i> ssp. <i>canadensis</i>	blue elderberry	
AGAVACEAE - Agave Family			
	<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	soap plant	
ALLIACEAE -- Onion Family			
	<i>Allium bolanderi</i> var. <i>bolanderi</i>	onion	
	<i>Allium falcifolium</i>	sickle-leaved onion	
	<i>Allium peninsulare</i> var. <i>peninsulare</i>	onion	
	<i>Allium vineale</i> *		
ANACARDIACEAE -- Cashew or Sumac Family			
	<i>Toxicodendron diversilobum</i>	western poison-oak	
APIACEAE -- Parsley or Carrot Family			
	<i>Angelica tomentosa</i>	California angelica	
	<i>Conium maculatum</i> *	poison-hemlock	
	<i>Cymopterus terebinthinus</i> var. <i>californicus</i>	cymopterus	
	<i>Daucus carota</i> *	Queen Anne's lace	
	<i>Daucus pusillus</i>	rattlesnake weed	
	<i>Foeniculum vulgare</i> *	sweet fennel	
	<i>Lomatium californicum</i>	California lomatium	
	<i>Lomatium caruifolium</i>	hog fennel	
	<i>Lomatium dasycarpum</i>	hog fennel	
	<i>Lomatium macrocarpum</i>	bigseed biscuitroot	

FAMILY	Botanical Name	Common name	CNPS rare plant list
	<i>Lomatium marginatum</i> var. <i>marginatum</i>	Butte desertparsley	
	<i>Lomatium repostum</i>	Napa lomatium	4.3
	<i>Lomatium utriculatum</i>	hog parsnip	
	<i>Osmorhiza berteroi</i>	sweet cicely	
	<i>Perideridia kelloggii</i>	yampah	
	<i>Sanicula bipinnatifida</i>	purple sanicle	
	<i>Sanicula crassicaulis</i>	Pacific snakeroot	
	<i>Sanicula laciniata</i>	snakeroot	
	<i>Tauschia kelloggii</i>	tauschia	
	<i>Torilis arvensis</i> *	tall sock-destroyer	
APOCYNACEAE -- Dogbane Family			
	<i>Apocynum androsaemifolium</i>	dogbane	
	<i>Asclepias cordifolia</i>	purple milkweed	
	<i>Asclepias fascicularis</i>	narrow-leaf milkweed	
	<i>Vinca major</i> *	periwinkle	
ASCLEPIADACEAE -- Milkweed Family (see APOCYNACEAE)			
ASTERACEAE-- Sunflower Family			
	<i>Achillea millefolium</i>	yarrow	
	<i>Agoseris grandiflora</i>	California dandelion	
	<i>Agoseris heterophylla</i>	California dandelion	
	<i>Anaphalis margaritacea</i>	pearly everlasting	
	<i>Ancistrocarphus filagineus</i>	woolly fishhooks	
	<i>Anisocarpus madioides</i>	woodland madia	
	<i>Anthemis cotula</i> *	mayweed, dog-fennel	
	<i>Arnica discoidea</i>	rayless arnica	
	<i>Artemisia douglasiana</i>	mugwort	
	<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	coyote brush	
	<i>Baccharis salicifolia</i> ssp. <i>salicifolia</i>	mule fat	
	<i>Brickellia californica</i>	California brickellbush	
	<i>Calycadenia truncata</i>	rosin weed	
	<i>Carduus pycnocephalus</i> ssp. <i>pycnocephalus</i> *	Italian thistle	
	<i>Centaurea calcitrapa</i> *	Purple starthistle	
	<i>Centaurea melitensis</i> *	Maltese star-thistle; tocalote	
	<i>Centaurea solstitialis</i> *	yellow star-thistle	
	<i>Cichorium intybus</i> *	chicory	
	<i>Cirsium douglasii</i> var. <i>breweri</i>	swamp thistle	
	<i>Cirsium occidentale</i> var. <i>venustum</i>	cobweb thistle	
	<i>Cirsium vulgare</i> *	bull thistle	
	<i>Conyza canadensis</i>	horseweed	
	<i>Ditrichia graveolens</i> *	stinkwort	
	<i>Erigeron foliosus</i>	fleabane	
	<i>Erigeron greenei</i>	fleabane	1B.2
	<i>Eriophyllum lanatum</i> var. <i>achilleoides</i>	woolly sunflower	
	<i>Eriophyllum lanatum</i> var. <i>arachnoideum</i>	woolly sunflower	
	<i>Eurybia radulina</i>	aster	
	<i>Euthamia occidentalis</i>	western goldenrod	
	<i>Gamochaeta ustulata</i>	purple cudweed	
	<i>Grindelia camporum</i>	gumplant	
	<i>Helianthella californica</i> var. <i>californica</i>	California helianthella	
	<i>Helianthus exilis</i>	serpentine sunflower	4.2
	<i>Helminthotheca echioides</i> *	bristly ox-tongue	
	<i>Hemizonia congesta</i> ssp. <i>luzulifolia</i>	hayfield tarweed	
	<i>Hesperexax sparsiflora</i> var. <i>sparsiflora</i>	short-leaved evax	
	<i>Hieracium albiflorum</i>	white hawkweed	
	<i>Holocarpha virgata</i> ssp. <i>virgata</i>	graceful tarplant	
	<i>Hypochaeris glabra</i> *	smooth cat's-ear	
	<i>Hypochaeris radicata</i> *	rough cat's-ear	
	<i>Lactuca saligna</i> *	narrow-leaf lettuce	
	<i>Lactuca serriola</i> *	prickly lettuce	
	<i>Lasthenia californica</i> ssp. <i>californica</i>	goldfields	
	<i>Leontodon saxatilis</i> *	hawkbit	
	<i>Logfia gallica</i> *	daggerleaf cottonrose	
	<i>Madia anomala</i>	plump-seeded madia	
	<i>Madia elegans</i>	showy madia	

FAMILY	Botanical Name	Common name	CNPS rare plant list
	<i>Madia exigua</i>	tarweed	
	<i>Madia gracilis</i>	slender tarweed	
	<i>Matricaria discoidea</i> *	pineapple weed	
	<i>Micropus californicus</i> var. <i>californicus</i>	cottontop	
	<i>Microseris douglasii</i> ssp. <i>douglasii</i>	Douglas's microseris	
	<i>Packera greenei</i>	flame ragwort	
	<i>Pseudognaphalium beneolens</i>	cudweed	
	<i>Pseudognaphalium luteoalbum</i> *	cudweed	
	<i>Psilocarphus tenellus</i>	slender woolly-marbles	
	<i>Rafinesquia californica</i>	California chicory	
	<i>Rigiopappus leptocladus</i>	rigiopappus	
	<i>Senecio aronicoides</i>	rayless ragwort	
	<i>Senecio vulgaris</i> *	groundsel	
	<i>Silybum marianum</i> *	milk thistle	
	<i>Soliva sessilis</i> *	soliva	
	<i>Sonchus asper</i> ssp. <i>asper</i> *	prickly sow-thistle	
	<i>Sonchus oleraceus</i> *	common sow-thistle	
	<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i>	stephanomeria	
	<i>Taraxacum officinale</i> *	dandelion	
	<i>Tragopogon dubius</i> *	yellow salsify	
	<i>Tragopogon porrifolius</i> *	salsify; oyster plant	
	<i>Uropappus lindleyi</i>	silver puffs	
	<i>Wyethia angustifolia</i>	narrow-leaved mules ears	
	<i>Wyethia glabra</i>	mules ears	
	<i>Xanthium spinosum</i>	spiny cocklebur	
BETULACEAE -- Birch Family			
	<i>Alnus rhombifolia</i>	white alder	
	<i>Corylus cornuta</i> ssp. <i>californica</i>	California hazelnut	
BORAGINACEAE -- Borage Family			
	<i>Amsinckia intermedia</i>	rancher's fireweed	
	<i>Amsinckia menziesii</i>	fiddleneck	
	<i>Cryptantha flaccida</i>	pale cryptantha	
	<i>Cryptantha milobakeri</i>	Milo Baker's cryptantha	
	<i>Cryptantha muricata</i> var. <i>jonesii</i>	Jones' cryptantha	
	<i>Cynoglossum grande</i>	hound's tongue	
	<i>Emmenanthe penduliflora</i> var. <i>penduliflora</i>	whispering bells	
	<i>Eriodictyon californicum</i>	yerba santa	
	<i>Heliotropium curassavicum</i> var. <i>oculatum</i>	alkali heliotrope	
	<i>Myosotis discolor</i> *	changing forget-me-not	
	<i>Nemophila heterophylla</i>	hillside nemophila	
	<i>Nemophila menziesii</i> var. <i>atomaria</i>	baby blue-eyes	
	<i>Nemophila menziesii</i> var. <i>menziesii</i>	baby blue-eyes	
	<i>Nemophila pedunculata</i>	nemophila	
	<i>Phacelia distans</i>	phacelia	
	<i>Phacelia imbricata</i>	phacelia	
	<i>Plagiobothrys nothofulvus</i>	rusty popcorn flower	
	<i>Plagiobothrys tener</i> var. <i>tener</i>	slender popcorn flower	
BRASSICACEAE -- Mustard Family			
	<i>Arabis breweri</i> var. <i>breweri</i>	Brewer's rock cress	
	<i>Arabis glabra</i> var. <i>glabra</i>	tower mustard	
	<i>Athysanus pusillus</i>	dwarf sandweed	
	<i>Barbarea verna</i> *	early winter cress	
	<i>Brassica nigra</i> *	black mustard	
	<i>Capsella bursa-pastoris</i> *	shepherd's purse	
	<i>Cardamine californica</i>	milk maids	
	<i>Cardamine oligosperma</i>	early bitter cress	
	<i>Draba verna</i>	whitlow-grass	
	<i>Hirschfeldia incana</i> *	mustard	
	<i>Lepidium nitidum</i>	pepper-grass	
	<i>Nasturtium officinale</i>	water cress	
	<i>Sisymbrium officinale</i> *	mustard	
	<i>Streptanthus brachiatus</i>	Freed's jewelflower	1B.2
	<i>Streptanthus breweri</i>	Brewer's jewelflower	
	<i>Streptanthus glandulosus</i> ssp. <i>glandulosus</i>	bristly jewelflower	

FAMILY	Botanical Name	Common name	CNPS rare plant list
	<i>Streptanthus glandulosus</i> ssp. <i>secundus</i>	second or Kruckeberg's jewelflower	
	<i>Thysanocarpus curvipes</i>	fringe pod	
CALLITRICHACEAE -- Water-starwort Family (see PLANTAGINACEAE)			
CALYCANTHACEAE -- Sweet-shrub Family			
	<i>Calycanthus occidentalis</i>	spicebush	
CAMPANULACEAE -- Bellflower Family			
	<i>Githopsis specularioides</i>	bluecup	
CAPRIFOLIACEAE -- Honeysuckle Family			
	<i>Lonicera hispidula</i>	hairy honeysuckle	
	<i>Lonicera interrupta</i>	chaparral honeysuckle	
	<i>Symphoricarpos albus</i> var. <i>laevigatus</i>	snowberry	
	<i>Symphoricarpos mollis</i>	creeping snowberry	
CARYOPHYLLACEAE -- Pink Family			
	<i>Cerastium glomeratum</i> *	sticky mouse-ear chickweed	
	<i>Minuartia douglasii</i>	Douglas's stitchwort	
	<i>Petrorhagia dubia</i> *	carnation	
	<i>Petrorhagia nanteuillii</i> *	wild carnation	
	<i>Petrorhagia prolifera</i> *	carnation	
	<i>Silene gallica</i> *	small-flower catchfly	
	<i>Silene laciniata</i> ssp. <i>californica</i>	Indian pink	
	<i>Spergularia rubra</i> *	red sand-spurrey	
	<i>Stellaria media</i> *	common chickweed	
CONVOLVULACEAE -- Morning-glory Family			
	<i>Calystegia collina</i> ssp. <i>oxyphylla</i>	Mt.St.Helena morning-glory	4.2
	<i>Calystegia occidentalis</i> ssp. <i>occidentalis</i>	morning-glory	
	<i>Calystegia subacaulis</i> ssp. <i>subacaulis</i>	morning-glory	
	<i>Convolvulus arvensis</i> *	field bindweed	
	<i>Cuscuta</i> sp.	odder	
CORNACEAE -- Dogwood Family			
	<i>Cornus nuttallii</i>	mountain dogwood	
CRASSULACEAE -- Stonecrop Family			
	<i>Crassula connata</i>	pygmy-weed	
	<i>Dudleya cymosa</i>	canyon live-forever	
	<i>Sedum spathulifolium</i>	broadleafstonecrop	
CUCURBITACEAE - Gourd Family			
	<i>Marah oreganus</i>	coast manroot	
CUSCUTACEAE -- Dodder Family (see CONVOLVULACEAE)			
CYPERACEAE -- Sedge Family			
	<i>Carex athrostachya</i>	long-bracted sedge	
	<i>Carex densa</i>	dense sedge	
	<i>Carex multicaulis</i>	stick sedge	
	<i>Carex nudata</i>	sedge	
	<i>Carex obnupta</i> (?)	slough sedge	
	<i>Carex pachystachya</i>	starry broomsedge	
	<i>Carex serratodens</i>	saw-toothed sedge	
	<i>Carex subbracteata</i>	small-bracted sedge	
	<i>Carex subfusca</i>	pale broomsedge	
	<i>Cyperus eragrostis</i>	tall umbrella-sedge	
	<i>Cyperus niger</i>	black flat sedge	
	<i>Eleocharis macrostachya</i>	spike rush	
	<i>Scirpus microcarpus</i>	small-headed bulrush	
DATISACEAE -- Datisca Family			
	<i>Datisca glomerata</i>	Durango root	
DIPSACACEAE -- Teasel Family			
	<i>Dipsacus sativus</i> *	Fuller's teasel	
ERICACEAE -- Heath Family			
	<i>Arbutus menziesii</i>	Pacific madrone	
	<i>Arctostaphylos glandulosa</i>	Eastwood's manzanita	
	<i>Arctostaphylos manzanita</i> ssp. <i>glaucescens</i>	glaucous manzanita	
	<i>Arctostaphylos manzanita</i> ssp. <i>manzanita</i>	woodland or giant manzanita	
	<i>Arctostaphylos stanfordiana</i> ssp. <i>stanfordiana</i>	Stanford manzanita	
	<i>Arctostaphylos viscida</i>	sticky whiteleaf manzanita	
	<i>Rhododendron occidentale</i>	western azalea	
EUPHORBIACEAE -- Spurge Family			

FAMILY	Botanical Name	Common name	CNPS rare plant list
	<i>Croton setigerus</i>	turkey-mullein	
	<i>Euphorbia crenulata</i>	spurge	
FABACEAE -- Legume Family			
	<i>Acmispon americanus</i>	Spanish lotus	
	<i>Acmispon brachycarpus</i>	hill lotus	
	<i>Acmispon glaber</i>	California broom	
	<i>Acmispon parviflorus</i>	miniature lotus	
	<i>Acmispon wrangelianus</i>	lotus	
	<i>Astragalus breweri</i>	Brewer's milk-vetch	4.2
	<i>Astragalus gambelianus</i>	Gambel's milk-vetch	
	<i>Cercis occidentalis</i>	redbud	
	<i>Genista monspessulana</i> *	French broom	
	<i>Hoita macrostachya</i>	hoita	
	<i>Hosackia pinnata</i>	streamside lotus	
	<i>Lathyrus angulatus</i> *	angled pea	
	<i>Lathyrus cicera</i> *	red pea	
	<i>Lathyrus hirsutus</i> *	Caley pea	
	<i>Lathyrus latifolius</i> *	perennial sweet pea	
	<i>Lathyrus tingitanus</i> *	Tangier pea	
	<i>Lathyrus vestitus</i> var. <i>vestitus</i>	hillside pea	
	<i>Lotus corniculatus</i> *	birdfoot trefoil	
	<i>Lupinus albifrons</i> var. <i>collinus</i>	silver lupine	
	<i>Lupinus bicolor</i>	miniature lupine	
	<i>Lupinus latifolius</i> var. <i>latifolius</i>	lupine	
	<i>Lupinus nanus</i>	sky lupine	
	<i>Lupinus succulentus</i>	arroyo lupine	
	<i>Medicago lupulina</i> *	black medick	
	<i>Medicago polymorpha</i> *	California burclover	
	<i>Medicago sativa</i> *	alfalfa	
	<i>Melilotus albus</i> *	white-flowered sweet-clover	
	<i>Melilotus indicus</i> *	sourclover	
	<i>Pediomelum californicum</i>	Indian breadroot	
	<i>Pickeringia montana</i> var. <i>montana</i>	chaparral pea	
	<i>Robinia pseudoacacia</i> *	black locust	
	<i>Rupertia physodes</i>	scurf-pea	
	<i>Thermopsis californica</i> var. <i>californica</i>	false lupine	
	<i>Trifolium albopurpureum</i> var. <i>albopurpureum</i>	clover	
	<i>Trifolium albopurpureum</i>	rancheria clover	
	<i>Trifolium bifidum</i> var. <i>decipiens</i>	bifid-leaved clover	
	<i>Trifolium ciliolatum</i>	foothill clover	
	<i>Trifolium depauperatum</i> var. <i>depauperatum</i>	dwarf sack clover	
	<i>Trifolium dubium</i> *	little hop clover	
	<i>Trifolium fucatum</i>	bull clover	
	<i>Trifolium glomeratum</i> *	clustered clover	
	<i>Trifolium hirtum</i> *	rose clover	
	<i>Trifolium incarnatum</i> *	crimson clover	
	<i>Trifolium microcephalum</i>	small-head clover	
	<i>Trifolium microdon</i>	thimble clover	
	<i>Trifolium obtusiflorum</i>	clammy clover	
	<i>Trifolium oliganthum</i>	few-flowered clover	
	<i>Trifolium pratense</i> *	red clover	
	<i>Trifolium subterraneum</i> *	subterranean clover	
	<i>Trifolium variegatum</i> (phase 1)	variegated clover	
	<i>Trifolium willdenovii</i>	tomcat clover	
	<i>Vicia americana</i> ssp. <i>americana</i>	American vetch	
	<i>Vicia benghalensis</i> *	purple vetch	
	<i>Vicia lathyroides</i> *	vetch	
	<i>Vicia sativa</i> ssp. <i>sativa</i> *	spring vetch	
	<i>Vicia villosa</i> ssp. <i>villosa</i> *	winter vetch	
FAGACEAE -- Beech or Oak Family			
	<i>Quercus agrifolia</i> var. <i>agrifolia</i>	coast live oak	
	<i>Quercus berberidifolia</i>	scrub oak	
	<i>Quercus chrysolepis</i>	canyon live oak	
	<i>Quercus douglasii</i>	blue oak	

FAMILY	Botanical Name	Common name	CNPS rare plant list
	<i>Quercus durata</i> var. <i>durata</i>	leather oak	
	<i>Quercus garryana</i> var. <i>garryana</i>	Oregon oak	
	<i>Quercus kelloggii</i>	California black oak	
	<i>Quercus lobata</i>	valley oak	
	<i>Quercus wislizenii</i> var. <i>frutescens</i>	interior live oak	
GARRYACEAE -- Silk-tassel Family			
	<i>Garrya fremontii</i>	Fremont's silk-tassel	
GENTIANACEAE -- Gentian Family			
	<i>Zeltnera muehlenbergii</i>	Monterey centauri	
	<i>Zeltnera trichantha</i>	alkali centauri	
GERANIACEAE -- Geranium Family			
	<i>Erodium botrys</i> *	long-beaked filaree	
	<i>Erodium cicutarium</i> *	red-stemmed filaree	
	<i>Geranium carolinianum</i>	Carolina geranium	
	<i>Geranium dissectum</i> *	cut-leaf geranium	
	<i>Geranium molle</i> *	dovefoot geranium	
HIPPOCASTANACEAE -- Buckeye Family (see SAPINDACEAE)			
HYDROPHYLLACEAE -- Waterleaf Family (see BORAGINACEAE)			
HYPERICACEAE -- St. John's-wort Family			
	<i>Hypericum concinnum</i>	gold-wire	
	<i>Hypericum perforatum</i> ssp. <i>perforatum</i> *	Klamath weed	
IRIDACEAE -- Iris Family			
	<i>Iris fernaldii</i>	iris	
	<i>Iris macrosiphon</i>	long-tubed iris	
	<i>Iris</i> sp.*	horticultural iris	
	<i>Sisyrinchium bellum</i>	blue-eyed-grass	
JUGLANDACEAE -- Walnut Family			
	<i>Juglans hindsii</i>	Northern California black walnut	
JUNCACEAE -- Rush Family			
	<i>Juncus balticus</i> ssp. <i>ater</i>	Baltic rush	
	<i>Juncus bolanderi</i>	Bolander's rush	
	<i>Juncus bufonius</i> var. <i>bufonius</i>	toad rush	
	<i>Juncus covillei</i>	Coville's rush	
	<i>Juncus effusus</i>	common rush	
	<i>Juncus ensifolius</i>	dagger rush	
	<i>Juncus mexicanus</i>	Mexican rush	
	<i>Juncus patens</i>	spreading rush	
	<i>Juncus xiphioides</i>	iris-leaved rush	
	<i>Luzula comosa</i>	hairy wood rush	
LAMIACEAE -- Mint Family			
	<i>Mentha pulegium</i> *	pennyroyal	
	<i>Monardella villosa</i> ssp. <i>villosa</i>	coyote mint	
	<i>Salvia columbariae</i>	chia	
	<i>Scutellaria antirrhinoides</i>	snapdragon skullcap	
	<i>Scutellaria californica</i>	California skullcap	
	<i>Stachys albens</i>	lambs'-ears	
	<i>Stachys rigida</i> var. <i>rigida</i>	hedge-nettle	
	<i>Trichostema laxum</i>	turpentine weed	
LAURACEAE -- Laurel Family			
	<i>Umbellularia californica</i>	California bay	
LILIACEAE -- Lily Family			
	<i>Calochortus amabilis</i>	Diogenes's lantern	
	<i>Calochortus luteus</i>	yellow mariposa	
	<i>Calochortus superbus</i>	superb mariposa	
	<i>Calochortus tolmiei</i>	pussy ears	
	<i>Calochortus vestae</i>	Vesta's mariposa	
	<i>Erythronium helenae</i>	St. Helena fawn lily	4.2
	<i>Fritillaria affinis</i>	checker lily	
	<i>Fritillaria recurva</i>	scarlet fritillary	
	<i>Prosartes hookeri</i>	fairly bells	
LINACEAE -- Flax Family			
	<i>Hesperolinon californicum</i>		
	<i>Hesperolinon spergulinum</i>	dwarf flax	
	<i>Linum</i> * sp.	flax	

FAMILY	Botanical Name	Common name	CNPS rare plant list
MALVACEAE -- Mallow Family			
	<i>Malva neglecta</i> *	common mallow	
	<i>Sidalcea diploscypha</i>	fringed checkerbloom	
MELANTHIACEAE -- False-hellebore Family			
	<i>Toxicoscordion fremontii</i>	star lily	
	<i>Toxicoscordion micranthum</i>	star lily	
	<i>Toxicoscordion venenosum</i> var. <i>venenosum</i>	star lily	
	<i>Trillium</i> sp.	trillium	
MONTIACEAE - Montia Family			
	<i>Calandrinia ciliata</i>	red maids	
	<i>Claytonia exigua</i> ssp. <i>exigua</i>	claytonia	
	<i>Claytonia gypsophiloides</i>	claytonia	
	<i>Claytonia perfoliata</i>	miners-lettuce	
	<i>Claytonia rubra</i>	red miners-lettuce	
	<i>Lewisia rediviva</i>	bitterroot	
	<i>Montia fontana</i>	water chickweed	
MYRSINACEAE -- Myrsine Family			
	<i>Anagallis arvensis</i> *	scarlet pimpernel	
	<i>Trientalis latifolia</i>	starflower	
OLEACEAE -- Olive Family			
	<i>Fraxinus latifolia</i>	Oregon ash	
ONAGRACEAE -- Evening Primrose Family			
	<i>Clarkia amoena</i> ssp. <i>huntiana</i>	farewell-to-spring	
	<i>Clarkia concinna</i>	red ribbons	
	<i>Clarkia gracilis</i> ssp. <i>sonomensis</i>	Sonoma clarkia	
	<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	four-spot	
	<i>Clarkia unguiculata</i>	elegant clarkia	
	<i>Epilobium brachycarpum</i>	willow-herb	
	<i>Epilobium canum</i> ssp. <i>canum</i>	willow-herb	
	<i>Epilobium ciliatum</i> ssp. <i>glandulosum</i>	willow-herb	
	<i>Epilobium densiflorum</i>	willow-herb	
	<i>Epilobium minutum</i>	willow-herb	
	<i>Epilobium torreyi</i>	narrow boisduvalia	
	<i>Taraxia ovata</i>	sun cups	
ORCHIDACEAE -- Orchid Family			
	<i>Corallorhiza mertensiana</i>	western coralroot	
	<i>Piperia elongata</i>	chaparral orchid	
	<i>Piperia transversa</i>	flat-spurred piperia	
	<i>Spiranthes</i> sp.	lady's tresses	
OROBANCHACEAE -- Broom-rape Family			
	<i>Bellardia trixago</i> *	Mediterranean linseed	
	<i>Castilleja applegatei</i> ssp. <i>martinii</i>	wavyleaf paintbrush	
	<i>Castilleja attenuata</i>	valley tassels	
	<i>Castilleja foliolosa</i>	woolly paintbrush	
	<i>Castilleja lacera</i> (?)	cutleaf owl's-clover	
	<i>Castilleja rubicundula</i> ssp. <i>lithospermoides</i>	cream sacs	
	<i>Parentucellia viscosa</i> *	yellow parentucellia	
	<i>Pedicularis densiflora</i>	Warrior's plume	
	<i>Triphysaria pusilla</i>	dwarf triphysaria	
PAPAVERACEAE -- Poppy Family			
	<i>Dendromecon rigida</i>	bush poppy	
	<i>Eschscholzia caespitosa</i>	poppy	
	<i>Eschscholzia californica</i>	California poppy	
PHILADELPHACEAE -- Mock-orange Family			
	<i>Whipplea modesta</i>	modesty	
PHRYMACEAE -- Phryma Family			
	<i>Mimulus aurantiacus</i> var. <i>aurantiacus</i>	sticky monkeyflower	
	<i>Mimulus cardinalis</i>	scarlet monkeyflower	
	<i>Mimulus guttatus</i>	seep monkeyflower	
PLANTAGINACEAE -- Plantain Family			
	<i>Antirrhinum vexillocalyculatum</i> ssp. <i>v.</i>	snapdragon	
	<i>Callitriche heterophylla</i>	water-starwort	
	<i>Collinsia heterophylla</i> var. <i>heterophylla</i>	Chinese houses	
	<i>Collinsia sparsiflora</i> var. <i>sparsiflora</i>	slender blue-eyed mary	

FAMILY	Botanical Name	Common name	CNPS rare plant list
	<i>Collinsia tinctoria</i>	staining collinsia	
	<i>Keckiella corymbosa</i>	red shrub penstemon	
	<i>Penstemon heterophyllus</i> var. <i>heterophyllus</i>	foothill penstemon	
	<i>Plantago erecta</i>	dwarf plantain	
	<i>Plantago lanceolata</i> *	English plantain	
	<i>Veronica peregrina</i> ssp. <i>xalapensis</i>	veronica	
POACEAE -- Grass Family			
	<i>Aegilops triuncialis</i> *	goat grass	
	<i>Agrostis exarata</i>	awned bentgrass	
	<i>Agrostis microphylla</i>	small-leaved bentgrass	
	<i>Agrostis pallens</i>	thin bentgrass	
	<i>Aristida oligantha</i>	oldfield three-awn	
	<i>Aira caryophyllea</i> *	silver hairgrass	
	<i>Avena barbata</i> *	slender oat	
	<i>Brachypodium distachyon</i> *	false brome	
	<i>Briza maxima</i> *	large quaking grass	
	<i>Briza minor</i> *	little quaking grass	
	<i>Bromus carinatus</i>	California brome	
	<i>Bromus diandrus</i> *	ripgut grass	
	<i>Bromus hordeaceus</i> *	soft chess	
	<i>Bromus laevipes</i>	woodland brome	
	<i>Bromus madritensis</i> ssp. <i>rubens</i> *	foxtail chess	
	<i>Bromus sterilis</i> *	poverty brome	
	<i>Cynodon dactylon</i> *	Bermuda grass	
	<i>Cynosurus echinatus</i> *	bristly dogtail grass	
	<i>Dactylis glomerata</i> *	orchard grass	
	<i>Danthonia californica</i>	California oatgrass	
	<i>Deschampsia danthonioides</i>	annual hairgrass	
	<i>Deschampsia elongata</i>	slender hairgrass	
	<i>Elymus caput-medusae</i> *	Medusahead	
	<i>Elymus glaucus</i>	blue wildrye	
	<i>Elymus multisetus</i>	big squirreltail	
	<i>Elymus hispidus</i> *	intermediate wheatgrass	
	<i>Festuca arundinacea</i> *	tall fescue	
	<i>Festuca bromoides</i> *	brome fescue	
	<i>Festuca californica</i>	California fescue	
	<i>Festuca elmeri</i>	Elmer's fescue	
	<i>Festuca idahoensis</i>	Idaho fescue	
	<i>Festuca microstachys</i>	small fescue	
	<i>Festuca myuros</i> *	rattail fescue	
	<i>Festuca occidentalis</i>	Western fescue	
	<i>Festuca perennis</i> *	ryegrass	
	<i>Festuca rubra</i>	red fescue	
	<i>Heinardia cylindrica</i> *	barb grass	
	<i>Holcus lanatus</i> *	velvet grass	
	<i>Hordeum brachyantherum</i>	meadow barley	
	<i>Hordeum marinum</i> ssp. <i>gussoneanum</i> *	Mediterranean barley	
	<i>Hordeum murinum</i> ssp. <i>leporinum</i> *	hare barley	
	<i>Koeleria macrantha</i>	junegrass	
	<i>Lamarckia aurea</i> *	goldentop	
	<i>Melica californica</i>	California melic	
	<i>Melica geyeri</i>	Geyer's melic	
	<i>Melica harfordii</i>	Harford's melic	
	<i>Melica imperfecta</i>	little California melic	
	<i>Melica torreyana</i>	Torrey's melic	
	<i>Panicum acuminatum</i> var. <i>fasciculatum</i>	Pacific panicgrass	
	<i>Phalaris aquatica</i> *	Harding grass	
	<i>Poa annua</i> *	annual bluegrass	
	<i>Poa bulbosa</i> *	bulbous bluegrass	
	<i>Poa palustris</i> *	fowl bluegrass	
	<i>Poa pratensis</i> ssp. <i>pratensis</i> *	Kentucky bluegrass	
	<i>Poa secunda</i> ssp. <i>secunda</i>	one-sided bluegrass	
	<i>Poa trivialis</i> *	rough bluegrass	
	<i>Polypogon monspeliensis</i> *	annual beard grass	

FAMILY	Botanical Name	Common name	CNPS rare plant list
	<i>Sorghum halapense</i> *	Johnson grass	
	<i>Stipa lepida</i>	foothill needlegrass	
	<i>Stipa pulchra</i>	purple needlegrass	
	<i>Trisetum canescens</i>	tall trisetum	
POLEMONIACEAE -- Phlox Family			
	<i>Allophyllum divaricatum</i>	allophyllum	
	<i>Collomia heterophylla</i>	variable-leaved collomia	
	<i>Gilia capitata</i> ssp. <i>capitata</i>	capitate gilia	
	<i>Gilia tricolor</i>	bird's-eye gilia	
	<i>Leptosiphon acicularis</i>	bristly leptosiphon	4.2
	<i>Leptosiphon bicolor</i>	bicolored leptosiphon	
	<i>Leptosiphon parviflorus</i>	small-flowered leptosiphon	
	<i>Microsteris gracilis</i>	small-flowered microsteris	
	<i>Navarretia intertexta</i>	needle-leaved navarretia	
	<i>Navarretia melitta</i>	honey-scented navarretia	
POLYGALACEAE -- Milkwort Family			
	<i>Polygala californica</i>	milkwort	
POLYGONACEAE -- Knotweed or Buckwheat Family			
	<i>Chorizanthe membranacea</i>	pink spineflower	
	<i>Eriogonum fasciculatum</i>	California buckwheat	
	<i>Eriogonum luteolum</i> var. <i>luteolum</i>	buckwheat	
	<i>Eriogonum nudum</i> var. <i>nudum</i>	naked buckwheat	
	<i>Persicaria punctata</i>	dotted smartweed	
	<i>Polygonum aviculare</i> ssp. <i>depressum</i> *	door knotweed	
	<i>Rumex acetosella</i> *	sheep sorrel	
	<i>Rumex conglomeratus</i> *	clustered dock	
	<i>Rumex californicus</i> (?)	California dock	
	<i>Rumex crispus</i> *	curly dock	
	<i>Rumex pulcher</i> *	fiddle dock	
	<i>Rumex salicifolius</i>	willow dock	
PORTULACACEAE -- Purslane Family (see MONTIACEAE)			
PRIMULACEAE -- Primrose Family (see also MYRSINACEAE)			
	<i>Dodecatheon hendersonii</i>	shooting star	
RANUNCULACEAE -- Buttercup Family			
	<i>Aquilegia formosa</i>	western crimson columbine	
	<i>Delphinium nudicaule</i>	red larkspur	
	<i>Ranunculus californicus</i> var. <i>californicus</i>	California buttercup	
	<i>Ranunculus muricatus</i> *	stickseed buttercup	
	<i>Ranunculus occidentalis</i> var. <i>occidentalis</i>	western buttercup	
	<i>Thalictrum fendleri</i> ssp. <i>polycarpum</i>	meadow-rue	
RHAMNACEAE -- Buckthorn Family			
	<i>Ceanothus cuneatus</i> var. <i>cuneatus</i>	buck brush	
	<i>Ceanothus incanus</i>	coast whitethorn	
	<i>Ceanothus integerrimus</i>	deer brush	
	<i>Ceanothus jepsonii</i>	musk brush	
	<i>Ceanothus oliganthus</i> var. <i>sorediatus</i>	jim brush	
	<i>Ceanothus parryi</i>	ceanothus	
	<i>Ceanothus velutinus</i>	tobacco brush	
	<i>Frangula californica</i>	coffeeberry	
ROSACEAE -- Rose Family			
	<i>Adenostoma fasciculatum</i> var. <i>fasciculatum</i>	chamise	
	<i>Amelanchier alnifolia</i> var. <i>semiintergrifolia</i>	Saskatoon serviceberry	
	<i>Aphanes occidentalis</i>	western dew cup	
	<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	mountain-mahogany	
	<i>Drymocallis glandulosa</i> var. <i>glandulosa</i>	sticky cinquefoil	
	<i>Heteromeles arbutifolia</i>	toyon	
	<i>Holodiscus discolor</i> var. <i>discolor</i>	oceanspray	
	<i>Rosa californica</i>	California wild rose	
	<i>Rosa gymnocarpa</i> var. <i>gymnocarpa</i>	wood rose	
	<i>Rubus armeniacus</i> *	Armenian (Himalayan) blackberry	
	<i>Rubus leucodermis</i>	blackcap raspberry	
RUBIACEAE -- Madder Family			
	<i>Galium andrewsii</i>	phlox-leaved bedstraw	
	<i>Galium aparine</i>	goose-grass	

FAMILY	Botanical Name	Common name	CNPS rare plant list
	<i>Galium californicum</i> ssp. <i>californicum</i>	California bedstraw	
	<i>Galium parisiense</i> *	wall bedstraw	
	<i>Galium porrigens</i> v. <i>tenue</i>	climbing bedstraw	
	<i>Sherardia arvensis</i> *	field madder	
RUSCACEAE -- Lily of the Valley Family			
	<i>Maianthemum racemosum</i>	false Solomon's seal	
SALICACEAE -- Poplar or Willow Family			
	<i>Populus fremontii</i> ssp. <i>fremontii</i>	Alamo cottonwood	
	<i>Salix breweri</i>	Brewer's willow	
	<i>Salix exigua</i> var. <i>hindsiana</i>	Hinds's willow	
	<i>Salix lasiolepis</i>	arroyo willow	
SAPINDACEAE -- Soapwort Family			
	<i>Acer macrophyllum</i>	bigleaf maple	
	<i>Aesculus californica</i>	California buckeye	
SAXIFRAGACEAE -- Saxifrage Family			
	<i>Heuchera micrantha</i>	alumroot	
	<i>Lithophragma affine</i>	San Francisco woodland star	
	<i>Lithophragma heterophyllum</i>	hillside woodland star	
SCROPHULARIACEAE -- Figwort Family (see also OROBANCHACEAE, PHRYMACEAE, PLANTAGINACEAE)			
	<i>Scrophularia californica</i>	bee plant; California figwort	
	<i>Verbascum blattaria</i> *	moth mullein	
	<i>Verbascum thapsus</i> *	woolly mullein	
SOLANACEAE -- Nightshade Family			
	<i>Solanum xanti</i>	chaparral nightshade	
THEMIDACEAE -- Brodiaea Family			
	<i>Brodiaea elegans</i> ssp. <i>elegans</i>	harvest brodiaea	
	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	blue dicks	
	<i>Dichelostemma congestum</i>	ookow	
	<i>Triteleia hyacinthina</i>	white brodiaea	
	<i>Triteleia laxa</i>	Ithuriel's spear	
	<i>Triteleia peduncularis</i>	long-rayed brodiaea	
TYPHACEAE --Cattail Family			
	<i>Typha</i> sp.	cattail	
VALERIANACEAE -- Valerian Family			
	<i>Plectritis congesta</i> ssp. <i>brachystemon</i>	small-flowered plectritis	
	<i>Plectritis macrocera</i>	longhorn plectritis	
VIOLACEAE -- Violet Family			
	<i>Viola douglasii</i>	violet	
	<i>Viola lobata</i>	pine violet	
	<i>Viola pedunculata</i>	Johnny jump up	
	<i>Viola purpurea</i> ssp. <i>quercetorum</i>	mountain violet	
VISCACEAE -- Mistletoe Family			
	<i>Arceuthobium campylopodum</i>	western dwarf mistletoe	
	<i>Phoradendron serotinum</i> ssp. <i>tomentosum</i>	oak mistletoe	
VITACEAE -- Grape Family			
	<i>Vitis californica</i>	California wild grape	